

Lexunsy Building Material Co.,Ltd

High quality Competitive price Best service

Windows doors & glass hardware



丽萱熙建材
lexunsy building material

丽萱熙建材有限公司
LEXUNSY BUILDING MATERIAL CO.,LIMITED

GLASS HARDWARE

2018年版



丽萱熙建材有限公司
LEXUNSY BUILDING MATERIAL CO.,LIMITED

S015 TWO-WAY SLIDING DOOR



DOOR WHEEL
S015-1-4



ANTI-DERAIL FITTING
S015-2-4



DOOR GUIDER
S015-3-1



DOOR STOPPER
S15-4-8



DECORATIVE COVER
S015-5-4



DOOR HANDLE
KA-S90-4



LEFT SIDE FRAME
S015-6-1



RIGHT SIDE FRAME
S015-7-1



TOP RAIL
S015-8-1



BOTTOM FRAME
S015-9-1



SLIDING DOOR



S001



标准配置
Standard Application



S002



标准配置
Standard Application

SLIDING DOOR



S003



标准配置
Standard Application



S005



标准配置
Standard Application

SLIDING DOOR



S007



标准配置
Standard Application



S011



标准配置
Standard Application

SLIDING DOOR



S012



标准配置
Standard Application



S013



标准配置
Standard Application



Sliding Door Roller
Item No.: SLD-A-001



Glass To Track Bracket
Item No.: SLD-A-003

OR



Wall To Track Bracket
Item No.: SLD-A-002



Door Stopper
Item No.: SLD-A-004L/R



Door Guide
Item No.: SLD-B-003



Sliding Door Handle
Item No.: SLH-02



Track Cap
Item No.: SLD-A-007



25mm Round Track
Item No.: 25mm Track

SLD-a SET

标准配置
Standard Application



Sliding Door Wheel
Item No.: SLD-A-001
Material: SUS 304
Surface: Satin / Polish



Sliding Door Wheel
Item No.: SLD-A-001P
Material: SUS 304
Surface: Satin / Polish



Sliding Door Wheel
Item No.: SLD-A-001S
Material: SUS 304
Surface: Satin / Polish



Sliding Door Wheel
Item No.: SLD-A-009
Material: SUS 304
Surface: Satin / Polish



Sliding Door Wheel
Item No.: SLD-B-001
Material: SUS 304
Surface: Satin / Polish



Wall To Track Bracket
Item No.: SLD-A-006
Material: SUS 304
Surface: Satin / Polish



Wall To Track Bracket
Item No.: SLD-A-002
Material: SUS 304
Surface: Satin / Polish



Glass To Track Bracket
Item No.: SLD-A-003
Material: SUS 304
Surface: Satin / Polish



Wall To Track Bracket
Item No.: SLD-A-002B
Material: SUS 304
Surface: Satin / Polish



Door Guide
Item No.: SLD-B-003
Material: SUS 304
Surface: Satin / Polish



Glass To Track Bracket
Item No.: SLD-A-003B
Material: SUS 304
Surface: Satin / Polish



Door Stopper
Item No.: SLD-A-001
Material: SUS 304
Surface: Satin / Polish

SLIDING DOOR



Door Stopper
Item No.: SLD-B-004
Material: SUS 304
Surface: Satin / Polish



Door Stopper
Item No.: SLD-B-005
Material: SUS 304
Surface: Satin / Polish



Track Cap
Item No.: SLD-A-007
Material: SUS 304
Surface: Satin / Polish



Track Cap
Item No.: SLD-A-007B
Material: SUS 304
Surface: Satin / Polish



Door Pull Handle
Item No.: KA-S90-4
Material: SUS 304
Surface: Satin / Polish



Door Pull Handle
Item No.: S002-7-1
Material: SUS 304
Surface: Satin / Polish



Door Pull Handle
Item No.: SLH-02
Material: SUS 304
Surface: Satin / Polish



Door Pull Handle
Item No.: SLH-04
Material: SUS 304
Surface: Satin / Polish



Door Pull Handle
Item No.: SLH-09
Material: SUS 304
Surface: Satin / Polish



Round Track
Item No.: 19/25mm Round Track
Material: SUS 304
Surface: Satin / Polish



Square Track
Item No.: 30*10mm / 40*15mm Track
Material: SUS 304
Surface: Satin / Polish



Solid Rod
Item No.: 8mm Solid Rod
Material: SUS 304
Surface: Satin / Polish

SLIDING DOOR



Sliding door Roller
Item No.: S002-1-2
Material: SUS304
Surface: Satin/Polish



Sliding door Roller
Item No.: S005-1-4
Material: SUS304
Surface: Satin/Polish



Sliding door Roller
Item No.: S003-1-2
Material: SUS304
Surface: Satin/Polish



Door Stopper
Item No.: S002-5-2
Material: SUS304
Surface: Satin/Polish



Door Stopper
Item No.: S001-5-2
Material: SUS304
Surface: Satin/Polish



Door Stopper
Item No.: S005-4-4
Material: SUS304
Surface: Satin/Polish



Glass To Track Bracket
Item No.: S002-2-2
Material: SUS304
Surface: Satin/Polish



Anti-Derail Fitting
Item No.: S002-3-2
Material: SUS304
Surface: Satin/Polish



Wall To Track Bracket
Item No.: S002-4-2
Material: SUS304
Surface: Satin/Polish



Glass To Track Bracket
Item No.: SLH-09
Material: SUS 304
Surface: Satin / Polish



Door Guider
Item No.: SLD-B-003
Material: SUS304
Surface: Satin/Polish



Door Guider
Item No.: S011-6-1
Material: SUS304
Surface: Satin/Polish

<<<< SLIDING DOOR



Wall To Track Bracket
Item No.: KA-07
Material: SUS304
Surface: Satin/Polish



L Track Bracket
Item No.: S001-3-1
Material: SUS304
Surface: Satin/Polish



Support Bar Fitting
Item No.: S011-8-1
Material: SUS304
Surface: Satin/Polish



L Track Bracket
Item No.: S005-7-1
Material: SUS304
Surface: Satin/Polish



Wall To Track Bracket
Item No.: S002-2-2B
Material: SUS304
Surface: Satin/Polish



Support Bar Fitting
Item No.: S011-9-1
Material: SUS304
Surface: Satin/Polish

SLIDING DOOR SERIES

<<<< SLIDING DOOR



SLD-W01 SET



SLD-F SET



SLD-E SET




ALUMINUM TRACK



SHOWER GLASS HINGE BEVELED PANEL

MATERIAL: BRASS/ STAINLESS STEEL/ ZINC ALLOY
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED/ SATIN
(MATT)/ POLISHED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°



SH-1-T1



SH-1-180



SH-1-135




SH-1-T2



SH-1-L1

SHOWER GLASS HINGE STRAIGHT PANEL

MATERIAL: BRASS/ STAINLESS STEEL/ ZINC ALLOY
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED/ SATIN
(MATT)/ POLISHED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°



SH-2-T1



SH-2-T2



SH-2-180



SH-2-135



SH-2-L1



SH-2-L1N



SH-2-T1N




SH-2-135N



SH-2-T2N



SH-2-180N



MATERIAL: SOLID FULL BRASS
SIZE: 92 X 56 MM
GLASS CUT-OUT: SQUARE
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM

SHOWER GLASS HINGE AUSTRALIAN MARKET



SH-4-T1



SH-4-180




SH-4-135



SH-4-L1



SH-4-T2




MATERIAL: BRASS/ STAINLESS STEEL/ ZINC ALLOY
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED/ SATIN
(MATT)/ POLISHED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°

SHOWER GLASS HINGE ARC PANEL

SHOWER GLASS HINGE ROUND ANGLE

MATERIAL: BRASS/ STAINLESS STEEL 304
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED/ SATIN (MATT)/ POLISHED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°



SH-8-T1



SH-8-T2



SH-8-180




SH-8-135



SH-8-L1

CRL GLASS HINGE

MATERIAL: SOLID FULL BRASS
SIZE: 100 X 58 MM
PANEL THICKNESS: 6 MM
GLASS CUT-OUT: SQUARE
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM



SH-2-T1CL



SH-2-T1CLH



SH-2-180CL



SH-2-135CL



SH-2-L1CL



SH-11-T2



SH-11-180




SH-11-135



SH-11-L1



SH-11-T1



MATERIAL: BRASS
SIZE: 75 X 46 MM
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-10 MM
MAX. DOOR WEIGHT: 40 KGS
AUTOMATICALLY CLOSE AT: 25°

SMALL SHOWER HINGE



SH-22-T2



SH-22-180




SH-22-135



SH-22-L1



SH-22-T1




MATERIAL: BRASS
SIZE: 75 X 46 MM
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-10 MM
MAX. DOOR WEIGHT: 40 KGS
AUTOMATICALLY CLOSE AT: 25°

SMALL SHOWER HINGE

ADJUSTABLE GLASS HINGE BEVELED PANEL

MATERIAL: BRASS
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°



SH-1-T1AD



SH-1-T2AD



SH-1-180AD




SH-1-135AD



SH-1-L1AD

ADJUSTABLE GLASS HINGE STRAIGHT PANEL

MATERIAL: SOLID FULL BRASS
SIZE: 100 X 58 MM
PANEL THICKNESS: 6 MM
GLASS CUT-OUT: SQUARE
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM



SH-2-T1AD



SH-2-T2AD



SH-2-180AD



SH-2-135AD



SH-2-L1AD



SH-4-T2AD



SH-4-180AD




SH-4-135AD



SH-4-L1AD



SH-4-T1AD



MATERIAL: BRASS
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°

ADJUSTABLE GLASS HINGE ARC PANEL



SH-8-T2AD



SH-8-180AD




SH-8-135AD



SH-8-L1AD



SH-8-T1AD



MATERIAL: BRASS
SIZE: 90 X 55 MM
FINISH: CHROME PLATED/ NICKEL PLATED
SUITABLE FOR GLASS: 6-12 MM
MAX. DOOR WEIGHT: 45 KGS
AUTOMATICALLY CLOSE AT: 25°

ADJUSTABLE GLASS HINGE ROUND ANGLE PANEL

SHOWER HINGE

GLASS CLAMP



SH-7-51



SH-7-52



SH-7-53



SH-7-54



SH-6-11



SH-6-13



SH-7-45



SH-7-46



SH-7-71



SH-7-72



SH-7-6



SH-7-85



SH-5-360A



SH-5-360B




SH-1-T2 Antique Copper



SH-2-T1 Matte Black



GC-00CD1



MATERIAL: BRASS/STAINLESS STEEL/ZINE ALLOY
SIZE: 45 X 45MM/50 X 50MM
FINISH: CHROME PLATED/ NICKEL PLATED/SATIN
(MATT)/POLISHED
SUITABLE FOR GLASS: 6-12 MM

SHOWER GLASS CLAMP



GC-00CD4



GC-00CD5



GC-90C



GC-90CD



GC-135C



GC-135CD



GC-180C



GC-180CD



GC-7-0



GC-7-0A



GC-7-90A



GC-7-90B



GC-7-135A



GC-7-135B




GC-7-180A




GC-7-180B

SHOWER GLASS CLAMP

MATERIAL: BRASS/STAINLESS STEEL/ZINC ALLOY
SIZE: 45X45MM/50X50MM
FINISH: CHROME PLATED/ NICKEL PLATED/SATIN
(MATT)/POLISHED
SUITABLE FOR GLASS: 6-12 MM



GC-2-0



MATERIAL: BRASS/STAINLESS STEEL/ZINC ALLOY
DIAMETER: 25MM
FINISH: CHROME PLATED/ NICKEL PLATED/SATIN
(MATT)/POLISHED
SUITABLE FOR GLASS: 8-10 MM



GC-004

GLASS CLAMP



GC-2-01



GC-2-90A



GC-2-90B



GC-2-135A



GC-2-180A



GC-2-180B



GC-3-0



GC-3-90A



GC-3-90B



GC-3-135A



GC-3-135B



GC-3-180A



GC-3-180B



GC-6-01



GC-6-02



GC-6-90A



GC-6-90B



GC-6-135A



GC-6-180A



GC-6-180B



GC-005



GC-008



GC-009



GC-90FS



GC-90F



GC-010



GC-012F



GC-012R



GC-013F



GC-013R




GC-016R



GC-016F

SHOWER CONNECTOR

MATERIAL: BRASS/STAINLESS STEEL/ZINE ALLOY
DIAMETER: 19MM/22MM/25MM
FINISH: CHROME PLATED/ NICKEL
PLATED/SATIN(MATT)/POLISHED



KA-07



KA-14A



KA-14B



KA-14C



KA-14T



KA-02



KA-03



KA-15-19



KA-2-T



KA-14-25



KA-14-135



KA-14-90



KA-14-T1



KA-07-22



KA-07-25



KA-07A



KA-14D



KA-001



KA-002



KA-2-10



KA-007



KA-008



KA-009




KA-013



KA-017



KA-021



MATERIAL: BRASS/STAINLESS STEEL/ZINE ALLOY
SIZE: 28*30MM
FINISH: CHROME PLATED/ NICKEL
PLATED/SATIN(MATT)/POLISHED

SHOWER DOOR KNOB



SDK-12



SDK-13



SDK-14



SDK-15



SDK-16



SDK-17



SDK-19



SDK-215



SDK-221



SDK-238



SDK-211



SDK-235



SDK-230



SDK-226



KA-S90-4



SLH-02



SDK-01GL













SDK-02GL






















SDK-03GL

SHOWER RODS



SEALING STRIP



DOOR HANDLE

MATERIAL: BRASS/STAINLESS STEEL
TUBE DIAMETER: 19MM/25MM/32MM/38MM
SIZE CAN BE CUSTOMIZED
FINISH: CHROME PLATED/ NICKEL PLATED
/SATIN(MATT)/POLISHED



GDH-02



GDH-10



GDH-163



GDH-105D



GDH-108-4



GDH-27



GDH-27R



GDH-27S



GDH-108R



GDH-108-1



GDH-108-3



GDH-108LS



GDH-108-6



GLDH-101S



HDL-06

PATCH FITTING

Material: Aluminum Alloy and stainless steel cover plates
Finish: chrome, gilding, sanded. Recommended toughened
glass door thickness: 8mm-12mm



PF-010



PF-010D



PF-020



PF-030



PF-040



PF-041



PF-042




PF-051A



PATCH FITTING

Material: Aluminum Alloy and stainless steel cover plates
Finsih: chrome, gilding, sanded. Recommended toughened
glass door thickness: 8mm-12mm



PF-021



PF-044



PF-062



PF-063




PF-051



PF-051D




PF-052D




PF-053D

PATCH FITTING

Material: Aluminum Alloy and stainless steel cover plates
Finsih: chrome, gilding, sanded. Recommended toughened
glass door thickness: 8mm-12mm




PF-120




PF-120D



PF-013




PF-013D




PF-022A



PF-043



PF-046



PF-047

PATCH FITTING

Material: Aluminum Alloy and stainless steel cover plates
Finsih: chrome, gilding, sanded.Recommened toughened
glass door thickness:8mm-12mm



PF-480R




PF-480L



PF-490T



PF-045



PF-L1001



PF-L1002



PF-R010



PF-R020

PATCH FITTING

Material: Aluminum Alloy and stainless steel cover plates
Finsih: chrome, gilding, sanded.Recommened toughened
glass door thickness:8mm-12mm




PF-R030



PF-R040




PF-R051D



MPF-010




MPF-020



MPF-030



MPF-040



MPF-010D



PF-ES001
Material: Stainless Steel



PF-ES002
Material: Stainless Steel



PF-ES003
Material: Stainless Steel



PF-ES010
Material: Stainless Steel



PF-ES004
Material: Stainless Steel



PF-ES041
Material: Stainless Steel



PF-ES020
Material: Stainless Steel



PF-ES042
Material: Stainless Steel



PF-ES040
Material: Stainless Steel

HYDRAULIC PATCH FITTING

COVER MATERIAL : STAINLESS STEEL 304 COVER
BASE MATERIAL : SOLID STAINLESS STEEL 304 BASE
GLASS THICKNESS: 8-12MM GLASS
MAX DOOR WEIGHT: 80KGS / 90KGS / 100KGS
KINDS OF GASKETS : PE, PVC, ASBESTOS, NON ASBESTOS, BLACK PVC
ONE OIL CIRCUIT SET IN THE BODY, WITH 2 SPEED
FOR ADJUSTING THE SPEED,
NUMBER 1 FOR 90 TO 15 DEGREE , AND NUMBER 2 FOR 15 TO 0 DEGREE,
WHICH IS IN CHARGE OF CONTROL
THE WHOLE OIL CIRCUIT. THE DOOR CAN BE FIXED AT 90 OR 92 DEGREE.



PF-010H1




PF-020B1



PF-010H2



PF-020B2



FOOR SPRING



FLS-28
Dorma head
Size: 270*130*50mm
Degree: 90 Degrees Positioning
Max door weight: 90kg



FLS-65
MAB head
Size: 28.3*13*6.5cm
Degree: 90 Degrees Positioning
Max door weight: 100kg



FLS-68
Dorma head
Size: 10.8*27.5*4cm
Degree: 90 Degree positioning,
Max open 130 degree
Max door weight: 120kg



FLS-90
MAB head
Size: 295*150*70mm
Degree: 180 Degrees positioning
Max door weight: 120kg



FLS-25
Speedy head
Size: 28.3*13*6.5cm
Degrees: 90 Degrees Positioning
Max door weight: 90kg



FLS-75
Dorma head
Size: 28.5*8.25*5cm
Degree: 180 Degrees, 360Degrees
Max door weight: 150kg



FLS-68V
Dorma head
Size: 10.8*27.5*4cm
Degree: 90 Degree positioning,
Max open 130 degree
Max door weight: 120kg



V503D & V503E
Material: Stainless steel 304
Stainless steel 316

DOOR LOCK



DL-017A
Material: Zinc Alloy
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Double door and double lock.



DL-018B
Material: Zinc Alloy/Stainless Steel
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Single door with knob.



DL-071A
Material: Zinc Alloy/Steel/Iron
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Double door with knob.



DL-071A
Material: Stainless Steel
Finish: Mirror, Sanded
Glass door thickness: 10mm-12mm



LH-101D
Material: Zinc Alloy/Stainless Steel
Finish: Chrome, Sanded, Mirror
Glass door thickness: 10mm-12mm



DL-017B
Material: Zinc Alloy/Stainless Steel
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Single door and double lock.



DL-070A
Material: Zinc Alloy/Steel/Iron
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Double door and double lock.



DL-071B
Material: Zinc Alloy/Steel/Iron
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Single door with knob.



DL-093
Material: Zinc Alloy
Finish: Chrome
Glass door thickness: 10mm-12mm



LH-102D
Material: Zinc Alloy
Finish: Chrome
Glass door thickness: 10mm-12mm



DL-018A
Material: Zinc Alloy/Stainless Steel
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Single door with knob.



DL-070B
Material: Zinc Alloy/Steel/Iron
Finish: Chrome, Gold, Sanded, Mirror
Glass door thickness: 10mm-12mm
Type: Single door and double lock.



DL-022B
Material: Stainless Steel
Finish: Sanded, Mirror, Red bronze
Glass door thickness: 10mm-12mm



LH-100D
Material: Zinc Alloy/Stainless Steel
Finish: Chrome, Sanded, Mirror
Glass door thickness: 10mm-12mm



LH-105
Material: Stainless Steel
Finish: Sanded, Mirror
Glass door thickness: 10mm-12mm

DOOR CLOSER



DC-051
Loading Weight:25-45KG
Door Size:500-800MM



DC-061B
Loading Weight:45-60KG
Door Size:600-900MM



DC-061A
Loading Weight:45-60KG
Door Size:600-900MM



DC-071B
Loading Weight:60-80KG
Door Size:600-1000MM



DC-071A
Loading Weight:60-80KG
Door Size:600-1000MM



DC-82
Loading Weight:80-120KG
Door Size:<1100MM



DC-063
Loading Weight:40-60KG
Door Size:<900MM



DC-061A
Loading Weight:45-60KG
Door Size:600-900MM




DC-061A
Loading Weight:45-60KG
Door Size:600-900MM

SPIDER FITTING




FK200-45A



FK200-45




FK200-45AB



FK200-4




F220-1S



F200-4



PT-2



CN-001



Model	Diameter	Total Height	Load Capacity	Model	Diameter	Total Height	Load Capacity
MN001-1	12mm	22mm	40kg	MN001-17	12mm	20mm	40kg
MN001-2	12mm	25mm	40kg	MN001-18	12mm	20mm	40kg
MN001-3	12mm	30mm	40kg	MN001-19	12mm	20mm	40kg
MN001-4	12mm	40mm	40kg	MN001-20	12mm	20mm	40kg
MN001-5	12mm	50mm	40kg	MN001-21	12mm	20mm	40kg
MN001-6	12mm	60mm	30kg	MN001-22	12mm	20mm	40kg
MN001-7	12mm	70mm	30kg	MN001-23	12mm	20mm	40kg
MN001-8	12mm	80mm	30kg	MN001-24	12mm	20mm	40kg
MN001-9	12mm	90mm	30kg	MN001-25	12mm	20mm	40kg
MN001-10	12mm	100mm	30kg	MN001-26	12mm	20mm	40kg
MN001-11	12mm	110mm	30kg	MN001-27	12mm	20mm	40kg
MN001-12	12mm	120mm	30kg	MN001-28	12mm	20mm	40kg
MN001-13	12mm	130mm	30kg	MN001-29	12mm	20mm	40kg
MN001-14	12mm	140mm	30kg	MN001-30	12mm	20mm	40kg
MN001-15	12mm	150mm	30kg	MN001-31	12mm	20mm	40kg
MN001-16	12mm	160mm	30kg	MN001-32	12mm	20mm	40kg



PRODUCT OVERVIEW

MIRROR STANDOFFS CAN BE USED WITH MIRROR AND GLASS PANEL.

- EACH STANDOFF CONSISTS OF A BASE AND CAP
- REGARDLESS OF BASE HEIGHT, HOLES MUST BE DRILLED IN THE GLASS FOR ASSEMBLY
- AVAILABLE IN MANY FINISHES
- SUITABLE FOR INTERIOR USE
- CONTACT OUR PROJECT MANAGEMENT TEAM FOR HELP WITH PROJECT-SPECIFIC REQUIREMENTS

SPIGOT MIRROR STANDOFF



J105-1



J220



J105




J104




J103




J106



SPIGOT SHELF BRACKET



《《《《 HANDRAIL TUBE BRACKET



IMPORTANT INFORMATION
Ideal for signage, displays, railing, presentation and desk tops For safety purposes, use tempered glass.
The use of power tools during installation may damage the hinges and decorative hardware.
Always set the product in a suitable material.
Never exceed the load or maximum size recommended by the manufacturer. Contact our project management team for help with project-specific requirements.



《《《《 SOLID METAL STANDOFF

《《《《 REGULAR PRODUCTS FINISH



1 Chrome



2 Brushed Nickel



3 Antique Brass



4 Antique Copper



5 Oil Rubbed Bronze



6 Matte Black



7 Gold Plated



8 Polished Brass



9 Satin Chrome