

Lexunsy Building Material Co.,Ltd

High quality Competitive price Best service

Windows doors & glass hardware



丽萱熙建材

lexunsy building material



SUBJECT 目录

	Casement Hinge Series 窗撑系列 01--04		Corner Fitting Series 角码系列 28--29
	Aluminum Hinge Series 铝合页系列 05--08		Aluminum Louver Shutter Series 百叶窗系列 29
	Window Handle Series 窗拉手系列 09--12		Wool Pile Series 毛条系列 30
	Handle Lock Series 七字执手系列 13--17		Rubber Strips Series 胶条系列 31
	Crescent Lock Series 月牙锁系列 18		Lock Body Series 锁体系列 32--33
	Sliding Door Handle Series 铝框移门大拉手系列 19--20		Door Lock Series 门锁系列 34--36
	Window Lock Series 窗锁系列 21--24		Flush Bolt Series 插销系列 37
	Window Wheel Series 窗轮系列 25--28		Toilet Fitting/Parts Series 卫生间配件/配件系列 38--40



4 Bars


Heavy Duty(Square Groove)15/18/22mm

Feature 特点:

- Selects best quality stainless steel
- Operates normally after 50000 times of strict open/close tests
- First-choce environmental protecting quality product forarchitectural construction in China
- China top brand of building door/window/curtain wall
- 选用最优质的不锈钢制造
- 经五万次严格开关测试后仍可正常使用
- 中国建筑施工首选环保优质产品
- 中国建筑门窗幕墙知名品牌



5 Bars



6 Bars

Heavy Duty(13.5/18/22mm Square Groove)ss friction staySeries														13.5/18/22mm 方槽重型不銹鋼系列					
Code 規格	A	B	C	D	E	F	G	H	I	J	K	L	Open angle	Window width	Window height	Window width			
in										mm				開口角度			窗寬 (in)	窗高 (mm)	窗寬 (mm)
CHS-8"x2.5	210	32	-	-	153	202	42.5	15	-	-	169	155.5	65°-2°	13	1500	400			
CHS-8"x3.0	210	32	-	-	153	202	42.5	16.5	-	-	169	155.5	65°-2°	13	1500	400			
CHS-10"x2.5	261	32	-	-	194	253	42.5	15	60.5	-	191.1	177.6	90°-2°	16	1500	500			
CHS-10"x3.0	261	32	-	-	194	253	42.5	16.5	60.5	-	191.1	177.6	90°-2°	16	1500	500			
CHS-12"x2.5	304	32	43.5	217	245.5	296	42.5	15	60.5	-	210	196.5	90°-2°	19	1500	600			
CHS-12"x3.0	304	32	43.5	217	245.5	296	42.5	16.5	60.5	-	210	196.5	90°-2°	19	1500	600			
CHS-14"x2.5	355	32	43.5	256	287.5	347	42.5	15	60.5	-	243	229.5	90°-2°	21	1500	700			
CHS-14"x3.0	355	32	43.5	256	287.5	347	42.5	16.5	60.5	-	243	229.5	90°-2°	21	1500	700			
CHS-16"x2.5	404	32	43.5	261	292	396	42.5	15	60.5	-	243	229.5	90°-2°	24	1500	800			
CHS-16"x3.0	404	32	43.5	261	292	396	42.5	16.5	60.5	-	243	229.5	90°-2°	24	1500	800			
CHS-18"x2.5	458	32	43.5	320	349	450	42.5	15	-	149	285.5	272	85°-2°	27	1500	900			
CHS-18"x3.0	458	32	43.5	320	349	450	42.5	16.5	-	149	285.5	272	85°-2°	27	1500	900			
CHS-20"x2.5	505	32	43.5	280	309	497	42.5	15	60.5	162.5	302	289.5	65°-2°	30	1600	1000			
CHS-20"x3.0	505	32	43.5	280	309	497	42.5	16.5	60.5	162.5	302	289.5	65°-2°	30	1600	1000			
CHS-22"x2.5	557	32	43.5	259	288	549	42.5	15	60.5	196.5	320	303.5	55°-2°	33	1600	1100			
CHS-22"x3.0	557	32	43.5	259	288	549	42.5	16.5	60.5	196.5	320	303.5	55°-2°	33	1600	1100			
CHS-24"x2.5	612	32	43.5	291	320	604	42.5	15	60.5	196.5	355.5	339	65°-2°	36	1800	1200			
CHS-24"x3.0	612	32	43.5	291	320	604	42.5	16.5	60.5	196.5	355.5	339	65°-2°	36	1800	1200			



4 Bars



5 Bars



6 Bars

Normal Popular(Round groove)

- Select the best stainless steel material.operates well after 50000 times test of open/close.
- 选用最优质的不锈钢材料.经5万次开合测试后仍正常使用.
- Friction Stays Screws Type : M5x8mm Stianless Steel Screws, Or St4. 2/4.8x12mm,
- 根据实际情况合理用螺丝,窗撑紧固采用M5X8不锈钢螺丝或采用ST4.2/4.8x12不锈钢自动螺钉.

Friction Stays Slider type:
滑片种类




Brass
铜



Stainless Steel Cover Nylon
不锈钢




Nylon Cover Stainless Steel
尼龙和不锈钢




Nomal Popular (19mm Round Groove) series 不锈钢19圆槽系列


Code 规格	A	B	C	D	E	F	G	H	I	J	K	Window height	Window width	Window weight	Open degree
	in											mm			
												窗高 (mm)	窗宽 (mm)	窗重 (kg)	开启角度
CHR-8"x2.0	203	34	-	112.5	-	51.5	34.2	13.5	-	99.4	11.5	-	-	9	65°-2°
CHR-8"x2.5	203	-	-	112.5	-	51.5	34.2	14.5	-	99.4	11.5	1500	400	10	65°-2°
CHR-8"x3.0	203	-	-	112.5	-	51.5	34.2	15.5	-	99.4	11.5	1500	400	12	65°-2°
CHR-10"x2.0	254	-	-	172.5	-	32.6	38.2	13.5	11.5	118.8	11.5	-	-	13	90°-2°
CHR-10"x2.5	254	-	-	172.5	-	32.6	38.2	14.5	11.5	118.8	11.5	1500	500	14	90°-2°
CHR-10"x3.0	254	-	-	172.5	-	32.6	38.2	15.5	11.5	118.8	11.5	1500	500	16	90°-2°
CHR-12"x2.0	304	-	11.5	156.5	20	75	34.2	13.5	11.5	129.8	11.5	-	-	17	90°-2°
CHR-12"x2.5	304	-	11.5	156.5	20	75	34.2	14.5	11.5	129.8	11.5	1500	600	18	90°-2°
CHR-12"x3.0	304	-	11.5	156.5	20	75	34.2	15.5	11.5	129.8	11.5	1500	600	19	90°-2°
CHR-14"x2.0	355	-	16.5	195.5	29	68.5	37	13.5	13.5	165.5	11.5	-	-	20	90°-2°
CHR-14"x2.5	355	-	16.5	195.5	29	68.5	37	14.5	13.5	165.5	11.5	1500	700	21	90°-2°
CHR-14"x3.0	355	-	16.5	195.5	29	68.5	37	15.5	13.5	165.5	11.5	1500	700	22	90°-2°
CHR-16"x2.0	402	38	11.5	230.5	29	86	39.8	13.5	13.5	175	11.5	-	-	23	90°-2°
CHR-16"x2.5	402	-	11.5	230.5	29	86	39.8	14.5	13.5	175	11.5	1500	750	24	90°-2°
CHR-16"x3.0	402	-	11.5	230.5	29	86	39.8	15.5	13.5	175	11.5	1500	750	25	90°-2°
CHR-18"x2.0	457	-	13.5	196.6	92.2	110	37.5	13.5	13.5	194	11.5	-	-	26	90°-2°
CHR-18"x2.5	457	-	13.5	196.6	92.2	110	37.5	14.5	13.5	194	11.5	1600	800	27	90°-2°
CHR-18"x3.0	457	-	13.5	196.6	92.2	110	37.5	15.5	13.5	194	11.5	1600	800	28	90°-2°
CHR-20"x2.0	508	-	13.5	193.6	92.2	163.8	37.5	13.5	13.5	229.7	13.5	-	-	29	55°-2°
CHR-20"x2.5	508	-	13.5	193.6	92.2	163.8	37.5	14.5	13.5	229.7	13.5	1600	900	30	55°-2°
CHR-20"x3.0	508	-	13.5	193.6	92.2	163.8	37.5	15.5	13.5	229.7	13.5	1600	900	31	55°-2°
CHR-24"x2.0	609	-	13.5	218.6	30	301.9	37.5	13.5	13.5	99.4	13.5	-	-	32	55°-2°
CHR-24"x2.5	609	-	13.5	218.6	30	301.9	37.5	14.5	13.5	99.4	13.5	1800	1000	33	55°-2°
CHR-24"x3.0	609	-	13.5	218.6	30	301.9	37.5	15.5	13.5	99.4	13.5	1800	1000	34	55°-2°




Top-Hung series 不锈钢上悬窗系列														
Code 规格	A	B	C	D	E	F	H	I	J	K	L	M	Window height 窗高 (mm)	Window width 窗宽 (mm)
CHH-14"x2.5	348.5	28.2	11.5	89.3	57.6	157.1	47	18	44.5	97	13.5	15.5	1500	700
CHH-14"x3.0	348.5	28.2	11.5	89.3	57.6	157.1	47	18	44.5	97	13.5	17	1500	700



Draw Back series 不锈钢后拉系列														
Code 规格	A	B	C	D	E	F	G	H	I	J	K	L	Window height 窗高 (mm)	Window width 窗宽 (mm)
CHD-10"x2.5	37	82	-	141	36	147	169	-	198	251.5	259.5	-	1500	500
CHD-10"x3.0	37	82	-	141	36	147	169	-	198	251.5	259.5	-	1500	500
CHD-12"x2.5	37	82	110	158	36	151.5	173.5	209.5	238.5	294.5	302.5	-	1500	600
CHD-12"x3.0	37	82	110	158	36	151.5	173.5	209.5	238.5	294.5	302.5	-	1500	600
CHD-14"x2.5	37	82	149	197	36	167	190	226	255	346.5	354.5	-	1500	700
CHD-14"x3.0	37	82	149	197	36	167	190	226	255	346.5	354.5	-	1500	700
CHD-16"x2.5	37	82	166.8	214.8	36	172.5	201.5	237.5	266.5	394	402	-	1500	750
CHD-16"x3.0	37	82	166.8	214.8	36	172.5	201.5	237.5	266.5	394	402	-	1500	750
CHD-18"x2.5	37	82	219.1	267.1	36	185	210	246	275	446	454	-	1600	800
CHD-18"x3.0	37	82	219.1	267.1	36	185	210	246	275	446	454	-	1600	800



Wooden Series 木窗系列														
Code 规格	A	B	C	D	E	F	G	H	I	J	K	Window height 窗高 (mm)	Window width 窗宽 (mm)	Window weight 窗重 (kg)
CHW-8"	38.5	74	75	115	31.5	45	109	139	168	147	209	800	400	14
CHW-10"	38.5	74	89	133	31.5	45	119	150	180	197	249	1000	500	16
CHW-12"	38.5	74	117	161	31.5	45	129	161	192	247	299	1200	600	18
CHW-14"	38.5	74	160.5	201	31.5	45	136	193	224	297	349	1400	650	20
CHW-16"	38.5	74	185.5	226	31.5	45	139	194	225	347	399	1400	700	22
CHW-20"	38.5	74	216	256	31.5	45	149	203	214	447	499	1600	750	24
CHW-24"	38.5	74	248	286	31.5	45	158	210	221	547	599	1600	800	26





Elastic Series E系列伸缩支撑						
Code 规格	收缩长度 (A)	伸展长度 (B)	高度 (B)	料厚 (B)	固定折片宽度 (E)	
CHE-6"	156	207.5	16	1.0	12	14
CHE-8"	206	307.5	16	1.0	12	14
CHE-10"	256	407.5	16	1.0	12	14
CHE-12"	306	507.5	16	1.0	12	14
CHE-14"	356	607.5	16	1.0	12	14
CHE-16"	408	711.5	16	1.0	12	14
CHE-18"	458	811.5	16	1.0	12	14




Two Bar Hinge

Feature 特点:


- Selects best quality stainless steel
- Operates normally after 50000 times of strict open/close tests
- First-choce environmental protecting quality product forarchitectural construction in China
- China top brand of building door/window/curtain wall
- 选用最优质的不锈钢制造
- 经五万次严格开关测试后仍可正常使用
- 中国建筑施工首选环保优质产品
- 中国建筑门窗幕墙知名品牌




Two Bar Hinge Series 二连杆系列			
Item no. 产品编号	A	B	C
CHT-8"	210	187	120
CHT-10"	258	235	174
CHT-12"	301	277	214
CHT-14"	353	329	258
CHT-16"	402	380	314




AH-01




AH-06




AH-02




AH-07




AH-03




AH-08




AH-04




AH-09




AH-05




AH-10




AH-11




AH-16




AH-12




AH-17




AH-13




AH-18




AH-14




AH-19




AH-15



AH-20




AH-21




内六角扳手插入塑料件内也
金属件内方调节(扳手可调节360°)
否则扳手会自转!


AH-26




AH-22




AH-27




AH-23




AH-28




AH-24




AH-29




AH-25




AH-30




AH-31




AH-35




AH-32




AH-36




AH-33




AH-37



AH-34



AH-38



产品材质: 铝合金/锌合金/锌座铝柄

 Material: Aluminum alloy/Zinc alloy/Aluminum handle+Zinc alloy bottom plate

 表面处理: 喷涂

 Finish: Powder coating




产品材质: 铝合金/锌合金/锌座铝柄

 Material: Aluminum alloy/Zinc alloy/Aluminum handle+Zinc alloy bottom plate

 表面处理: 喷涂

 Finish: Powder coating




产品材质: 铝合金/锌合金/锌座铝柄
Material: Aluminum alloy/Zinc alloy/Aluminum handle+Zinc alloy bottom plate

表面处理: 喷涂/氧化
Finish: Powder coating/Oxidation




产品材质: 铝合金/锌合金/锌座铝柄
Material: Aluminum alloy/Zinc alloy/Aluminum handle+Zinc alloy bottom plate

表面处理: 喷涂/氧化
Finish: Powder coating/Oxidation




HL-11(Hollow,Solid)




HL-16




HL-12




HL-17




HL-13




HL-18




HL-14




HL-19




HL-15




HL-20




HL-21




HL-26




HL-22



HL-27




HL-23



HL-28




HL-24



HL-29



HL-25



HL-30




HL-51




HL-56



HL-52



HL-57



HL-53



HL-58



HL-54



HL-59




HL-55



HL-60

产品材质: 铝合金/锌合金
Material: Aluminum alloy/Zinc alloy

表面处理: 喷涂
Finish: Powder coating




CL-01



CL-06




CL-02



CL-07



CL-03



CL-08



CL-04



CL-09




CL-05




CL-10

产品材质: 铝合金/锌合金
Material: Aluminum alloy/Zinc alloy

表面处理: 喷涂
Finish: Powder coating



SDH-01



SDH-04



SDH-02



SDH-05



SDH-03



SDH-06



SDH-07




SDH-12

产品材质: 锌合金/锌+铝
Material: Zinc alloy/Zinc+Aluminum

表面处理: 喷涂
Finish: Powder coating



SDH-08




SDH-13



SDH-09




SDH-14




SDH-10




SDH-15



SDH-11



SDH-16



SDH-17



SDH-18

产品材质: 锌合金/锌+铝
Material: Zinc alloy/Zinc+Aluminum


表面处理: 喷涂
Finish: Powder coating









WW-01




WW-06




WW-02




WW-07




WW-03




WW-08




WW-04



WW-09




WW-05




WW-10




WW-11




WW-12




WW-13




WW-14




WW-15




WW-16




WW-17




WW-18




WW-19




WW-20







WW-21



WW-27




WW-22




WW-28




WW-23



WW-29




WW-24




WW-30




WW-25



WW-31




WW-26




WW-32

产品材质: 201/304/铁/塑料/铝合金
Material: 201/304/iron/Plastic/Aluminum alloy


表面处理: 喷涂/氧化
Finish: Powder coating/Oxidation




WW-33




WW-34




CF-01




CF-02




CF-03




CF-04




CF-05




CF-06




CF-07



CF-08



CF-09




CF-10

产品材质: 201/304/铁/塑料/铝合金/铝材
Material: 201/304/iron/Plastic/Aluminum alloy/Aluminum

表面处理: 打沙/砂光/镀锌/镀白锌/氧化/铝本色/黑色
Finish: Play sand/sand light/white zinc plating/nickel plating/aluminum oxide/color/black



常规配置表 Normal configuration table		
页数 Leaf	尺寸 Length(cm)	备注 Remark(handle)
3	29	one
4	37	one
5	46	one
6	55	one
7	64	one
8	73	two
9	82	two
10	91	three
11	100	three
12	109	three
13	118	three
14	127	three
15	136	three



WP-01
特点:
毛绒经特殊工艺处理,具有超强回弹能力
可提供多种颜色, 规格齐全。
Feature
Be devlppped by specialfinsih,possessing super strong flexibility
Different colours available,different specifications available



WP-02
特点:
毛绒经特殊工艺处理,具有超强回弹能力
可提供多种颜色, 规格齐全。
Feature
Be devlppped by specialfinsih,possessing super strong flexibility
Different colours available,different specifications available



WP-03
特点:
毛绒经特殊工艺处理,具有超强回弹能力
可提供多种颜色, 规格齐全。
Feature
Be devlppped by specialfinsih,possessing super strong flexibility
Different colours available,different specifications available



WP-04
特点:
毛绒经特殊工艺处理,具有超强回弹能力
可提供多种颜色, 规格齐全。
Feature
Be devlppped by specialfinsih,possessing super strong flexibility
Different colours available,different specifications available



WP-05
特点:
毛绒经特殊工艺处理,具有超强回弹能力
可提供多种颜色, 规格齐全。
Feature
Be devlppped by specialfinsih,possessing super strong flexibility
Different colours available,different specifications available

Code 规格	Packing 包装
4x5	4x500
5x4	4x500
5x5	4x500
5.5x5	4x450
5x6	4x450
5x7	4x400
5x8	4x350
5x9	4x300
5x10	4x200
5x12	4x200
5x15	4x150
6x5	4x450
6x6	4x400
6x7	4x350
6x8	4x300
6x10	4x250
6x12	4x200
6x15	4x150
7x5	4x450
7x6	4x400
7x7	4x350
7x8	4x300
7x10	4x250
7x12	4x200
7x15	4x150
10x7	4x250
11x5	4x200
11x7	4x175
11x10	4x100
13x5	4x180
13x6	4x180



RS-E
品名: E型 (EPDM材质) Name:E Type
规格: 9x4mm Measure:9x4mm
使用: 2-3.5mm的缝隙 Suitable Groove:2-3.5mm
包装: 300米/卷 Package:300Mtr/Spool
颜色: 白、灰、棕、黑 Color:White,Gray,Brown,Black



RS-P
品名: P型 (EPDM材质) Name:P Type
规格: 9x5.5mm Measure:9x5.5mm
使用: 3-5mm的缝隙 Suitable Groove:3-5mm
包装: 300米/卷 Package:300Mtr/Spool
颜色: 白、灰、棕、黑 Color:White,Gray,Brown,Black



RS-D
品名: D型 (EPDM材质) Name:E Type
规格: 9x6mm Measure:9x6mm
使用: 3-5.5mm的缝隙 Suitable Groove:3-5.5mm
包装: 300米/卷 Package:300Mtr/Spool
颜色: 白、灰、棕、黑 Color:White,Gray,Brown,Black



RS-1



RS-2



RS-3



RS-4



RS-5



RS-6



RS-7



RS-8



RS-9



RS-10



RS-11



RS-12



RS-13

产品材质: 聚氯乙烯, 三元乙丙橡胶
Material: Polyvinyl chloride (PVC), ethylene propylene diene three



LB- 20X85mm
LB- 25X85mm



LB- 30X85mm
LB- 35X85mm



LBE- 20X85mm
LBE- 25X85mm



LBE- 30X85mm
LBE- 35X85mm



LBDH- 28SS




LBT- 35X85mm




LBH-25




LBH-35




LBH-Z-25




LBH-Z-35




LBL-25



LBL-35



LBLH-25



LBLH-35




LB-8




LB-15




LB-14




LB-14 (with cylinder)




LB-16




LB-18




LB-19



LB-20



尺寸 (毫米) DIMENSIONS (mm)		
A	B	C
50	25	25
60	30	30
65	32.5	32.5
70	35	35
76	38	38
80	40	40
90	45	45




表面处理：镀铬、砂镍、古铜、金色
Finish: Chrome/Nickel plated/Antique brass/Golden

Computer key 电脑





Ordinary key 普通



选用高品质原材料精工制作，机械性能好，耐腐蚀；
表面优质电镀处理，色泽丰富多样，通过盐雾、阳光、
清洁化学品的侵蚀测试。
款式豪华经典，高保安的标准锁体，主要适用于别墅、
高档住宅、以及对质量要求高的其它建筑。

High-quality raw materials are selected and used for
precision manufacture, characterized by good mechanical
performance and corrosion resistance, with quality electro-
plating surface treatment typical of abundance and
diversified colors, tested for corrosion resistance on salt
mist, sunlight, and cleaning chemicals.
The styles are luxurious and classical with high-security
standard lock bodies, mainly applicable to villas, and
high-grade residences, as well as other buildings with
high quality requirements.























产品材质: 201不锈钢/304不锈钢/锌合金/铝合金
Material: 201 stainless steel/304 stainless steel/zinc alloy/aluminum alloy

表面处理: 喷漆/镜光/砂光
Finish: Lacquer / Mirror / Sand light



产品材质: 304不锈钢/尼龙
Material: 304 stainless steel/Nylon

表面处理: 砂光
Finish: Sand light

 DH-01 	 DH-02 	 DH-03 
 MS-01 	 MS-02 	 MS-03 
 MS-06 	 MS-07 	 MS-08 
 MS-10 	 MS-11 	 MS-12 
 MS-13 	 MS-14 	 MS-15 
 MS-16 	 DH-17 	 DH-18 

产品材质: 铁/201/304/锌合金
Material: Iron/ 201/304/ Zinc alloy

表面处理: 镜光/砂光
Finish: Mirror light, Sand light

 CFH-1F	 CFH-1H	 CFH-1I
 HS-1	 HS-2	 HS-3
 HS-4	 HS-5	 HS-6
 DS-1	 DS-2	 DS-3